

**ARKANSAS SCHOOL FACILITY MANUAL
PROGRAM OF REQUIREMENTS (POR)
SUMMARY AND REQUIRED SPACES**

Form Printed
4/20/2017

SCHOOL DISTRICT															
SCHOOL NAME				USER DOCUMENTATION -											
PROJECT NAME				RUN BY:											
PROJECT NUMBER				DATE:											
1. NUMBER OF STUDENTS Enter maximum projected number of students during next ten years															
Kindergarten		Grade 7		2. KITCHEN		School may have warming kitchen or full service kitchen									
Grade 1		Grade 8		Select from menu below YES or NO if school will have warming kitchen											
Grade 2		Grade 9		Warming Kitchen		YES									
Grade 3		Grade 10		Full Service Kitchen		NO									
Grade 4		Grade 11		3. MULTI-STORY SCHOOL											
Grade 5		Grade 12		Select from menu if school is multi-story											
Grade 6		TOTAL	0			NO - Single Story									
TOTAL REQUIRED SPACES								Gross Square Feet							
SUPPORT SPACE ALLOWANCE															
TOTAL REQUIRED + SUPPORT SPACE ALLOWANCE										TOTAL SPACES (sum)		0 Square Feet			
10% CONSTRUCTION FACTOR						0.10				NEW SPACES (sum)		0 Square Feet			
TOTAL REQUIRED/FUNDED SQUARE FOOTAGE						0		Square Feet							
REQUIRED SPACES		STANDARD	REQUIRED SPACES		NEW SPACES		EXISTING SPACES (in their final configuration)		TOTAL SPACES (NEW + EXISTING)		REQUIRED SPACES CHECK				
Space	SF	Qty	AREA	Qty	AREA	Qty	AREA	Qty	AREA	Qty	AREA	Qty	AREA		
ACADEMIC CORE															
E-AC-3	Kindergarten Classroom	1000	0	0						0	0	0	0		
E-AC-4	Kindergarten Restroom	45	0	0						0	0	0	0		
E-AC-5a	Elem Classroom Grades 1-3	850	0	0						0	0	0	0		
E-AC-5b	Elem Classroom Grades 4-5	850	0	0						0	0	0	0		
M-AC-1a	MS Classroom Grade 6	850	0	0						0	0	0	0		
M-AC-1b	MS Classroom Grades 7-8	850	0	0						0	0	0	0		
M-CE 1	Career Education	1300	0	0						0	0	0	0		
H-AC-1	HS Classroom	850	0	0						0	0	0	0		
H-AC-2	Science Clrm/Lab-Gen/Physics	1440	0	0						0	0	0	0		
H-AC-3	Science Clrm/Lab-Chemistry	1440	0	0						0	0	0	0		
H-AC-4	Science Clrm/Lab-Biol/Life Sci	1440	0	0						0	0	0	0		
H-AC-5	Science Prep	300	0	0						0	0	0	0		
H-AC-11	Chemical Storage	150	0	0						0	0	0	0		
H-AC-12	Multi-Use Room	1500	0	0						0	0	0	0		
H-AC-13	Instructional Multi-Purpose Rm	850	0	0						0	0	0	0		
H-AC-8	Project Lab/Classroom	1100	0	0						0	0	0	0		
E-MC-1	Reading Room/Circulation	0	0	0						0	0	0	0		
E-MC-4	Computer Lab	900	0	0						0	0	0	0		
M/H-MC-1	Reading Room/Circulation	0	0	0						0	0	0	0		
M-MC-4	Media Center Computer Lab	900	0	0						0	0	0	0		
E-VA-1	Art Room	1200	0	0						0	0	0	0		
E-VA-3	Art Material Storage	80	0	0						0	0	0	0		
E-AC-10	Fine Arts Instruction Room	1200	0	0						0	0	0	0		
E-AC-11	Fine Arts Instruction Storage	100	0	0						0	0	0	0		
M-VA-1	Art Room	1200	0	0						0	0	0	0		
H-VA-1	Art Room	1200	0	0						0	0	0	0		
M/H-VA-3	Art Material Storage	100	0	0						0	0	0	0		
E-MU-1	Music Room	1200	0	0						0	0	0	0		
E-MU-2	Music Storage	100	0	0						0	0	0	0		
M-MU-2	Music Storage	100	0	0						0	0	0	0		
M/H-MU-1	Instrumental Room	1400	0	0						0	0	0	0		
H-MU-2	Instrument Storage	200	0	0						0	0	0	0		
M-MU-8	Vocal Room	1200	0	0						0	0	0	0		
H-MU-8	Vocal Room	1200	0	0						0	0	0	0		
H-MU-9	Vocal Storage	150	0	0						0	0	0	0		
E-PE-1	PE Area	2500	0	0						0	0	0	0		
M-PE-1	PE Area	4000	0	0						0	0	0	0		
H-PE-1	PE Area	6000	0	0						0	0	0	0		
H-PE-3	Student Locker Room	400	0	0						0	0	0	0		
H-PE-4	Student Restroom/Shower	150	0	0						0	0	0	0		
H-CE	Career Education Program One	Varies	0	0	0	0	0	0	0	0	0	0	0		
H-CE	Career Education Program Two	Varies	0	Varies											
H-CE	Career Education Program Three	Varies	0	Varies											
SPECIAL EDUCATION															
E/M/H-SE-1	Self-contained Classroom	850	1	850						0	0	-1	-850		
E/M/H-SE-2	Workroom/Conference	150	1	150						0	0	-1	-150		
E/M/H-SE-3	Restroom/Shower	100	1	100						0	0	-1	-100		
E/M/H-SE-4	Special Education/Resource	450	1	450						0	0	-1	-450		
E/M/H-SE-5	Speech Therapy	475	1	475						0	0	-1	-475		
E/M/H-SE-7	OT/PT	350	1	350						0	0	-1	-350		
E-GT-1	Gifted and Talented	850	0	0						0	0	0	0		
ADMINISTRATIVE SPACES															
E/M/H-AD-3	Principal's Office	150	1	150						0	0	-1	-150		
E/M/H-AD-4	Assistant Principal's Office	120	0	0						0	0	0	0		
E/M/H-AD-11	Guidance Counselor's Office	120	1	120						0	0	-1	-120		
E/M/H-AD-15	Health Center	250	1	250						0	0	-1	-250		
E/M/H-AD-20	Health Center Restroom	45	1	45						0	0	-1	-45		
PERFORMING ARTS															
H-PA-1	Auditorium	1500	0	0						0	0	0	0		
H-PA-3	Stage Area (includes wings)	600	0	0						0	0	0	0		

SUITABILITY ANALYSIS

SUITABILITY ANALYSIS				
BY:	0			
DATE:	1/0/1900			
(CHOOSE CORRECT PROJECT TYPE)				
FOR ADDITION PROJECT	YES			
FOR NEW SCHOOL IN DISTRICT	NO			
SCHOOL DISTRICT			0	
SCHOOL NAME			0	
PROJECT NAME			0	
PROJECT NUMBER			0	
	Existing Size (GROSS SF)		POR Allowance (SF)	Difference
TOTAL SCHOOL/CAMPUS	0		0	0
SINGLE-PURPOSE AREAS	2008 or Before	After 2008		2008 or Before
Physical Education	0	0	0	0
Media Center	0	0	0	0
Student Dining	0	0	0	0
Performing Arts	0	0	0	0
	TOTAL SUITABILITY NEED (GROSS SF)			0
	FOR STATE FINANCIAL PARTICIPATION			
NOTES			District Inputs	
			From POR Summary Sheet	
			Suitability Analysis Computes	
			State Participation Area or Excess Area in Gross SF	

**ARKANSAS SCHOOL FACILITY MANUAL
PROGRAM OF REQUIREMENTS
SCHOOL SUPPORT SPACES (NOT REQUIRED)**

Form Printed
4/20/2017

SCHOOL DISTRICT		0		
SCHOOL NAME		0		
PROJECT NAME		0		
PROJECT NUMBER		0		
	ONLY ENTER NEW SPACES INCLUDED IN THE PROJECT			
	SUPPORT SPACES (NOT REQUIRED)	SUGGESTED SF	Qty	AREA
	ACADEMIC CORE			
E-AC-6	Teacher Prep Area/Workroom	150		
E-AC-7	Individual Restroom	50		
E-AC-8	Instructional Material Storage	100		
E-AC-9	Instructional Multi-purpose	850		
E-MC-2	Media Specialist Office	100		
E-MC-3	Media Center Workroom/Storage	100		
E-MC-5	A/V Storage	50		
E-MC-6	Conference Room	200		
E-VA-2	Kiln/Ceramic Storage	100		
E-PE-2	P. E. Workroom/Storage	100		
M-AC-2	Project Lab/Classroom	1,100		
M-AC-3	Teacher Prep Area/Workroom	200		
M-AC-4	Individual Restroom	50		
M-AC-5	Instructional Material Storage	120		
M-AC-6	Small Group Room	150		
M-AC-7	Instructional Multi-purpose Room	850		
M-MC-2	Media Specialist Office	120		
M-MC-3	Media Center Workroom/Storage	150		
M-MC-5	Media Center A/V Storage	80		
M-MC-6	Media Center Conference Room	150		
M-MC-7	Multimedia Production Room	300		
M-VA-2	Kiln/Ceramic Storage	100		
M-MU-3	Music Office	120		
M-MU-4	Music Library	120		
M-CE-2	Career Education Production Lab	1,300		
M-CE-3	Career Education Storage	150		
M-FCS-1	Life Skills Lab	1,100		
M-FCS-2	Life Skills Storage	100		
M-PE-2	P.E./Athletic Office	75		
M-PE-3	Staff Shower	75		
M-PE-4	Student Locker Room	350		
M-PE-5	Student Restroom/Shower	150		
M-PE-6	Physical Education Storage	200		
H-AC-6	Teacher Prep Area/Workroom	300		
H-AC-7	Individual Restroom	50		
H-AC-9	Small Group Room	150		
H-AC-10	Instructional Material Storage	150		
H-MC-2	Media Specialist Office	120		
H-MC-3	Workroom/Storage	150		
H-MC-4	A/V Storage	75		
H-MC-5	Conference Room	250		

**ARKANSAS SCHOOL FACILITY MANUAL
PROGRAM OF REQUIREMENTS
SCHOOL SUPPORT SPACES (NOT REQUIRED)**

Form Printed
4/20/2017

SCHOOL DISTRICT		0		
SCHOOL NAME		0		
PROJECT NAME		0		
PROJECT NUMBER		0		
ONLY ENTER NEW SPACES INCLUDED IN THE PROJECT				
	SUPPORT SPACES (NOT REQUIRED)	SUGGESTED SF	Qty	AREA
H-MC-6	Multimedia Production Room	400		
H-MC-7	Document Storage	60		
H-VA-2	Kiln/Ceramic Storage	100		
H-MU-3	Instrument Repair Room	100		
H-MU-4	Orchestra Storage	100		
H-MU-5	Instrumental Music Library	120		
H-MU-6	Instrumental Office	120		
H-MU-7	Uniform Storage	100		
H-MU-10	Vocal Music Library	120		
H-MU-11	Vocal Office	120		
H-MU-12	Ensemble Room	150		
H-MU-13	Practice Room	80		
H-MU-14	Restroom	50		
H-PE-2	Auxiliary Gymnasium	4,000		
H-PE-5	Physical Education Storage	200		
H-PE-6	P.E./Athletic Office	75		
H-PE-7	Staff Shower	75		
H-PE-8	Athletic Director's Office	120		
H-PE-9	Lobby Services	100		
H-PE-10	Training Room	200		
H-PE-11	Physical Health Classroom	850		
H-PE-12	Multi-use P.E. Room	2,400		
SPECIAL EDUCATION				
E-SE-6	Storage	80		
M-SE-6	Storage	100		
H-SE-6	Storage	100		
ADMINISTRATIVE SPACES				
E-AD-1	Reception Area	150		
E-AD-2	Secretarial Area	150		
E-AD-5	Conference Room	150		
E-AD-6	Mail/Work/Copy Room	150		
E-AD-7	Administrative Storage	80		
E-AD-8	Vault/Records Storage	50		
E-AD-9	In-school Suspension	450		
E-AD-10	Restroom	50		
E-AD-12	Guidance Reception	120		
E-AD-13	Guidance Records/Storage	50		
E-AD-14	Parent Center	300		
E-AD-16	Itinerant Personnel Office	100		
E-AD-17	Family Restroom	80		

**ARKANSAS SCHOOL FACILITY MANUAL
PROGRAM OF REQUIREMENTS
CAREER EDUCATION Required for 9-12)**

Printed on
4/20/2017

SCHOOL DISTRICT		0		9-12 schools must provide a minimum of three					
SCHOOL NAME		0		Career Education programs. Each program must					
PROJECT NAME		0		contain at least three course offerings. Allowable					
PROJECT NUMBER		0		Career Education total space is shown on Summary sheet.					
			REQUIRED	NEW SPACES		EXISTING SPACES		TOTAL SPACES (NEW + EXISTING)	
	CAREER EDUCATION		SIZE	Qty	AREA	Qty	AREA	Qty	AREA
Agribusiness Systems									
CE-AG-1	Agribusiness Lab		1,500					0	0
Agricultural Power, Structural, & Technical Sys.									
CE-AG-2	Ag Mechanics Lab		3,000					0	0
- CE-AG-3	Outdoor Covered Work Area		800					0	0
Agricultural Science - Animal or Plant Sys.									
CE-AG-4	Outdoor Animal Science Lab		1,000					0	0
Horticulture / Plant Systems									
CE-AG-5	Greenhouse		1,800					0	0
CE-AG-6	Cold Frame		800					0	0
CE-AG-7	Shade House		300					0	0
CE-AG-8	Hydroponics Lab		250					0	0
Natural Resources / Environmental Service Sys.									
CE-AG-9	Aquaculture Lab		500					0	0
Related Spaces									
CE-AG-10	Classroom		850					0	0
CE-AG-11	Office		120					0	0
CE-AG-12	Restrooms/Locker Rooms		150					0	0
CE-AG-13	Storage		150					0	0
Business Marketing									
Management									
CE-BM-1	Management Lab		1,500					0	0
Office Administration									
CE-BM-2	Office Administration Lab		1,500					0	0
Hospitality									
CE-BM-3	Hospitality Lab		1,500					0	0
Lodging									
CE-BM-4	Lodging Lab		1,500					0	0
Desktop Publishing									
CE-BM-5	Desktop Publishing Lab		1,500					0	0
Multimedia									
CE-BM-6	Multimedia Lab		1,500					0	0
Programming									
CE-BM-7	Programming Lab		1,500					0	0
Accounting									
CE-BM-8	Accounting Lab		1,500					0	0
Banking & Finance									
CE-BM-9	Banking & Finance Lab		1,500					0	0
Marketing									
CE-BM-10	Marketing Lab		1,500					0	0
Related Spaces									
CE-BM-11	Classroom		850					0	0
CE-BM-12	Office		120					0	0
CE-BM-13	Storage		100					0	0

**ARKANSAS SCHOOL FACILITY MANUAL
PROGRAM OF REQUIREMENTS
CAREER EDUCATION Required for 9-12)**

Printed on
4/20/2017

SCHOOL DISTRICT		0		9-12 schools must provide a minimum of three					
SCHOOL NAME			0	Career Education programs. Each program must					
PROJECT NAME			0	contain at least three course offerings. Allowable					
PROJECT NUMBER			0	Career Education total space is shown on Summary sheet.					
			REQUIRED	NEW SPACES		EXISTING SPACES		TOTAL SPACES (NEW + EXISTING)	
	CAREER EDUCATION		SIZE	Qty	AREA	Qty	AREA	Qty	AREA
Family & Consumer Sciences									
CE-FCS-1	Family & Consumer Sciences Lab		1,200					0	0
CE-FCS-2	Food Prep Lab (kitchen units)		600					0	0
CE-FCS-3	Sewing Lab		550					0	0
CE-FCS-4	Fitting Room		150					0	0
CE-FCS-5	Laundry		50					0	0
Consumer Services									
CE-FCS-19	Consumer Services Lab		1,500					0	0
Education & Training									
CE-FCS-6	Education & Training Lab		1,200					0	0
Food Production, Management, & Services									
CE-FCS-7	Food Production, Management, & Services Lab		1,200					0	0
CE-FCS-8	Food Prep Lab (kitchen units)		600					0	0
Facilities Management, Maintenance, & Services									
CE-FCS-9	Facilities Management, Maintenance, & Services Lab		1,200					0	0
Child Care Guidance, Management, & Services									
CE-FCS-10	Child Care Guidance, Management, & Services Lab		1,200					0	0
CE-FCS-11	Laundry		50					0	0
Cosmetology									
CE-FCS-12	Cosmetology Lab		2,500					0	0
Required Spaces in Cosmetology Lab - included in required SF									
CE-FCS-20	Restroom		100					0	0
CE-FCS-21	Reception		250					0	0
CE-FCS-22	Supply		200					0	0
CE-FCS-23	Dispensary		150					0	0
CE-FCS-16	Office		120					0	0
CE-FCS-13	Cosmetology Clinic Area		1,200					0	0
CE-FCS-14	Cosmetology Instruction Area		275					0	0
Related Spaces									
CE-FCS-15	Classroom		850					0	0
CE-FCS-17	Restrooms		150					0	0
CE-FCS-18	Storage		100					0	0
Architecture and Construction Services									
Construction Technology									
CE-ARC-1	Construction Technology Lab		3,000					0	0
HVACR									
CE-ARC-2	HVACR Lab		3,000					0	0
Related Spaces									
CE-ARC-3	Classroom		850					0	0
CE-ARC-4	Office		120					0	0
CE-ARC-5	Storage		200					0	0
ARTS, AV TECHNOLOGY, & COMMUNICATION SPACES									
Advertising Design									
CE-AV-1	Advertising Design Lab		1,500					0	0
Career Communications									
CE-AV-2	Career Communications Lab		1,500					0	0
Commercial Photography									
CE-AV-3	Photography Production Lab		400					0	0

**ARKANSAS SCHOOL FACILITY MANUAL
PROGRAM OF REQUIREMENTS
CAREER EDUCATION Required for 9-12)**

Printed on
4/20/2017

SCHOOL DISTRICT		0		9-12 schools must provide a minimum of three					
SCHOOL NAME				Career Education programs. Each program must					
PROJECT NAME				contain at least three course offerings. Allowable					
PROJECT NUMBER				Career Education total space is shown on Summary sheet.					
			REQUIRED	NEW SPACES		EXISTING SPACES		TOTAL SPACES (NEW + EXISTING)	
	CAREER EDUCATION		SIZE	Qty	AREA	Qty	AREA	Qty	AREA
CE-AV-4	Photography Workroom		750					0	0
Graphic Communications									
CE-AV-6	Graphic Communication Work Area		1,800					0	0
Performing Arts									
CE-AV-7	Performing Arts Studio		1,800					0	0
CE-AV-8	Dressing Rooms		750					0	0
CE-AV-9	Performing Arts Storage		250					0	0
Radio / TV Broadcasting									
CE-AV-10	Radio / TV Broadcasting Lab		1,200					0	0
Related Spaces									
CE-AV-11	Classroom		850					0	0
CE-AV-12	Office		120					0	0
CE-AV-13	Storage		200					0	0
Government and Public Education Spaces									
ROTC									
CE-GOV-1	ROTC Lab		3,000					0	0
Related Spaces									
CE-GOV-2	Classroom		850					0	0
CE-GOV-3	Office		120					0	0
CE-GOV-4	Storage		200					0	0
Health Science Spaces									
Medical Professions Education									
CE-HSC-1	Clinic Area		500					0	0
Related Spaces									
CE-HSC-2	Classroom		850					0	0
CE-HSC-3	Office		120					0	0
CE-HSC-4	Storage		200					0	0
Law, Public Safety and Security Spaces									
Criminal Justice									
CE-LAW-1	Criminal Justice Lab (forensics)		1,200					0	0
Related Spaces									
CE-LAW-2	Classroom		850					0	0
CE-LAW-3	Office		120					0	0
CE-LAW-4	Storage		200					0	0
Manufacturing Spaces									
Electronics									
CE-MAN-1	Electronics Lab		2,000					0	0
Furniture Manufacturing									
CE-MAN-2	Furniture Manufacturing Lab		3,000					0	0
Industrial Equipment Maintenance									
CE-MAN-3	Industrial Equipment Lab		3,000					0	0
Machine Tool Technology									
CE-MAN-4	Machine Tool Lab		3,000					0	0
Major Appliance Repair									
CE-MAN-5	Major Appliance Repair Lab		3,000					0	0
Welding									

**ARKANSAS SCHOOL FACILITY MANUAL
PROGRAM OF REQUIREMENTS
CAREER EDUCATION Required for 9-12)**

Printed on
4/20/2017

SCHOOL DISTRICT		0	9-12 schools must provide a minimum of three						
SCHOOL NAME		0	Career Education programs. Each program must						
PROJECT NAME		0	contain at least three course offerings. Allowable						
PROJECT NUMBER		0	Career Education total space is shown on Summary sheet.						
			REQUIRED	NEW SPACES		EXISTING SPACES		TOTAL SPACES (NEW + EXISTING)	
CAREER EDUCATION			SIZE	Qty	AREA	Qty	AREA	Qty	AREA
CE-MAN-6	Welding Lab		3,000					0	0
Related Spaces									
CE-MAN-7	Classroom		850					0	0
CE-MAN-8	Office		120					0	0
CE-MAN-9	Storage		200					0	0
SCIENCE, TECHNOLOGY, ENGINEERING, & MATHEMATICS SPACES									
Drafting & Design									
CE-ENG-1	Drafting & Design Lab		2,000					0	0
Computer Engineering									
CE-ENG-2	Computer Engineering Lab		1,500					0	0
Geospatial Technology (GIS)									
CE-ENG-3	Geospatial Technology (GIS) Lab		1,500					0	0
Pre-Engineering									
CE-ENG-4	Pre-Engineering Lab		1,500					0	0
Related Spaces									
CE-ENG-5	Classroom		850					0	0
CE-ENG-6	Office		120					0	0
CE-ENG-7	Storage		200					0	0
Transportation, Distribution, & Logistics Spaces									
Automotive Collision									
CE-TDL-1	Automotive Collision Repair Lab		4,000					0	0
Automotive Service Technology									
CE-TDL-2	Automotive Service Technology Lab		4,000					0	0
Aviation Mechanics									
CE-TDL-3	Aviation Mechanics Lab		10,000					0	0
CE-TDL-4	Aviation Technology Lab		1,200					0	0
Diesel Mechanics									
CE-TDL-5	Diesel Mechanics Lab		4,000					0	0
Power Equipment Technology									
CE-TDL-6	Power Equipment Technology Lab		3,000					0	0
Related Spaces									
CE-TDL-7	Classroom		850					0	0
CE-TDL-8	Office		120					0	0
CE-TDL-9	Storage		200					0	0
			TOTALS	0	0	0	0	0	0

**ARKANSAS SCHOOL FACILITY MANUAL
PROGRAM OF REQUIREMENTS
REQUIRED SPACES NOTES**

Form Printed
4/20/2017

REQUIRED SPACES		STANDARD SIZE					
Space		Square Feet	Notes				
ACADEMIC CORE							
E-AC-3	Kindergarten Classroom	1000	Maximum class size 20 students				
E-AC-4	Kindergarten Restroom	45	One per kindergarten classroom				
E-AC-5a	Elem Classroom Grades 1-3	850	Maximum class size 25 students				
E-AC-5b	Elem Classroom Grades 4-5	850	Maximum class size 28 students				
M-AC-1a	MS Classroom Grade 6	850	Maximum class size 28 students.				
M-AC-1b	MS Classroom Grades 7-8	850	Maximum class size 30 students.				
M-CE-1	Workforce Development	1,300	Two required for 700 or more students.				
H-AC-1	HS Classroom	850	Maximum class size 30 students.				
H-AC-2	Science Clrm/Lab-Gen/Physics	1,440	Minimum one plus one per each 500 students				
H-AC-3	Science Clrm/Lab-Chemistry	1,440	One per each 500 students above 1,000 students.				
H-AC-4	Science Clrm/Lab-Biol/Life Sci	1,440	One minimum to 1000 students. Additional for each 500 above 1000 students.				
H-AC-5	Science Prep	300					
H-AC-11	Chemical Storage	150	One minimum. Two above 1500 students.				
H-AC-12	Multi-Use Room	1,500					
H-AC-13	Instructional Multi-Purpose Rm	850					
H-AC-8	Project Lab/Classroom	1,100	One minimum to 1000 students. Additional for each 500 above 1000 students.				
E-MC-1	Reading Room/Circulation	Computed	10% of the student capacity multiplied by 35 SF per student.				
E-MC-4	Computer Lab	900					
M/H-MC-1	Reading Room/Circulation	Computed	10% of the student capacity multiplied by 40 SF per student.				
M-MC-4	Media Center Computer Lab	900					
E-VA-1	Art Room	1200	Required for 550 or more students.				
E-VA-3	Art Material Storage	80	Required for 550 or more students.				
E-AC-10	Fine Arts Instruction Room	1,200	Substituted for Art and Music Room in ES with less than 550 students				
E-AC-11	Fine Arts Instruction Storage	100	Substituted for Art and Music Storage in ES with less than 550 students				
M-VA-1	Art Room	1200					
H-VA-1	Art Room	1200	Minimum one, plus one for each 500 students				
M/H-VA-3	Art Material Storage	100					
E-MU-1	Music Room	1,200	Required for 550 or more students.				
E-MU-2	Music Storage	100	Required for 550 or more students.				
M-MU-2	Music Storage	100	Required for 550 or more students.				
M/H-MU-1	Instrumental Room	1,400	Minimum one plus additional room for more than 1000 students.				
H-MU-2	Instrument Storage	Computed	Minimum 200 SF. One-half SF per student.				
M-MU-8	Vocal Room	1,200	Required for 700 or more students				
H-MU-8	Vocal Room	1,200	Minimum one for 500 students plus additional room for more than 2000 students.				
H-MU-9	Vocal Storage	150	One per vocal room.				
E-PE-1	PE Area	Computed	10 SF per student. Minimum 2,500 SF, Maximum 10,000 SF. Minimum single space size 900 SF.				
M-PE-1	PE Area	Computed	15 SF per student. Minimum 4,000 SF, Maximum 10,000 SF. Minimum single space size 900 SF.				
H-PE-1	PE Area	Computed	15 SF per student. Min 6,000 SF, Max 30,000 SF. Includes aux gym above 1000 students. Minimum 900 SF.				
H-PE-3	Student Locker Room	Computed	Minimum 2 @ 400 SF. Maximum 6 @ 850 SF.				
H-PE-4	Student Restroom/Shower	Computed	Minimum 2 @ 150 SF. Maximum 6 @ 350 SF.				
H-CE	Career Education Program One	Varies	Total. Minimum 8,000 SF. Maximum 23,000 SF. 15 SF/student.				
H-CE	Career Education Program Two	Varies					
H-CE	Career Education Program Three	Varies					
SPECIAL EDUCATION							
E/M/H-SE-1	Self-contained Classroom	850	Two required for 1,000 students and above.				
E/M/H-SE-2	Workroom/Conference	150	Two required for 1,000 students and above.				
E/M/H-SE-3	Restroom/Shower	100	Two required for 1,000 students and above.				
E/M/H-SE-4	Special Education/Resource	450	Two required for 1,000 students and above.				
E/M/H-SE-5	Speech Therapy	475	Two required for 1,000 students and above.				
E/M/H-SE-7	OT/PT	350	Two required for 1,000 students and above.				
E-GT-1	Gifted and Talented	850					
ADMINISTRATIVE SPACES							
E/M/H-AD-3	Principal's Office	150					
E/M/H-AD-4	Assistant Principal's Office	120	Required for 500 or more students.				
E/M/H-AD-11	Guidance Counselor's Office	120	Minimum 1. Must maintain ratio of 1:450				
E/M/H-AD-15	Health Center	250					
PERFORMING ARTS							
H-PA-1	Auditorium	Computed	Minimum 1500 SF. 5 SF per 9-12 student.				
H-PA-3	Stage Area (includes wings)	Computed	Minimum 600 SF. 2 SF per 9-12 student.				
STUDENT DINING							
E/M/H-SD-1	Student Dining	Computed	One-half of the student capacity multiplied by 15 SF per student.				
FOOD SERVICE							
E/M/H-FS-1	Warming Kitchen	Computed	2 SF per student.				
E/M/H-FS-2	Kitchen (total)	Computed	Equal to sum of areas for preparation, serving, dry food storage, cooler/freezer, and ware washing.				
E/M/H-FS-2a	Preparation Area	Computed	Student capacity multiplied by 3.5 SF per student multiplied by 36%.				
E/M/H-FS-2b	Serving Area	Computed	Student capacity multiplied by 3.5 SF per student multiplied by 34%.				
E/M/H-FS-2c	Dry Food Storage	Computed	Student capacity multiplied by 3.5 SF per student multiplied by 11%.				
E/M/H-FS-2d	Cooler/Freezer	Computed	Student capacity multiplied by 3.5 SF per student multiplied by 10%.				
E/M/H-FS-2e	Ware Washing	Computed	Student capacity multiplied by 3.5 SF per student multiplied by 9%.				
BUILDING SERVICES							
E/M/H-CU-1	Workroom	Computed	0.5 SF per student. Minimum 125 SF.				
E/M/H-MultiSt	Vertical Circulation	Computed	Vertical Circulation for Multi-Story Schools				
E/M/H-BS-1	Large Group Restrooms	Computed	Equal to the sum of the program areas, excluding building services, multiplied by 3%.				
E/M/H-BS-2	Custodial Closet	50					
E/M/H-BS-3	Electrical Closet	50					
E/M/H-BS-4	Telecommunications Room	64					
E/M/H-BS-5	Corridors/Circulation	Computed	Equal to the sum of the program areas, excluding building services, multiplied by 20%.				
E/M/H-BS-6	Mech/Elect Space/Decks	Computed	Equal to the sum of the program areas, excluding building services, multiplied by 5.5%.				
E/M/H-BS-7	Storage Area	150					
E/M/H-BS-8	Central Storage Area	150					
E/M/H-BS-9	Loading/Receiving Area	100					
E/M/H-BS-10	Main Cross-connect	150					