

## Large Group Restrooms H-BS-1

### Features - Fixed Equipment

- F1 Towel dispenser
- F2 24" x 60" mirror
- F3 Toilet tissue holder
- F4 36" and 42" grab bar
- F5 Soap dispenser
- F6 Toilet partitions
- F7 16" x 24" mirrors

### Features - Loose Furnishings

Waste receptacles

### Finishes:

Flooring - Ceramic mosaic tile base  
Optional - Porcelain tile or terrazzo tile


Base - Ceramic mosaic tile base  
Optional - Structural glazed tile base or porcelain tile base

Ceiling - Suspended, acoustical  
Optional - Abuse-resistant gypsum wallboard

Walls - Painted concrete masonry units

### Notes

1. Plumbing - water closets, urinals, lavatories, and hydrants; water coolers; floor drains
2. Electrical - single-level switching; duplex receptacle



## Custodial Closet H-BS-2

### Features - Fixed Equipment

- F1 Mop holder
- F2 Wall cabinets

### Features - Loose Furnishings

N/A

### Finishes:

Flooring - Sealed concrete


Base - Resilient base

Ceiling - Exposed, painted structure

Walls - Painted concrete masonry units

### Notes

1. Electrical - duplex receptacle; single-level switching
2. Plumbing - service sink and floor drain sink



## Electrical Closet H-BS-3

### Features - Fixed Equipment

N/A

### Features - Loose Furnishings

N/A

### Finishes:

Flooring - Sealed concrete


Base - Resilient base

Ceiling - Exposed, painted structure

Walls - Painted concrete masonry units

### Notes

1. Electrical - duplex receptacle; single-level switching; electrical switchgear



## Telecommunications Room

### H-BS-4

#### Features - Fixed Equipment

N/A

#### Features - Loose Furnishings

N/A

#### Finishes:

Flooring - Sealed concrete


Base - Resilient base


Ceiling - Exposed, painted structure

Walls - Painted concrete masonry units

#### Notes

1. Electrical - duplex receptacle; single-level switching; telecommunications grounding
2. Technology - technology equipment; plywood backboard





## Corridors/Vestibules H-BS-5

### Features - Fixed Equipment

Fire extinguishers and cabinets  
Recessed vinyl floor mats or surface mats

### Features - Loose Furnishings

Recycling bins and waste receptacles

### Finishes:

Flooring - Resilient, porcelain tile, or terrazzo

Base - Resilient base

Optional - Structural glazed tile

Ceiling - Suspended, acoustical

Optional in vestibules - Abuse-resistant gypsum wallboard

Walls - Painted concrete masonry units

NOTE - At entries adjacent to dining/commons area, match dining/commons flooring.

### Notes

1. Electrical - duplex receptacles; dual-level switching
2. Technology - clocks, wireless access points; video ports
3. Plumbing - drinking water coolers
4. Miscellaneous - display cases

Corridors shall be a minimum of 8 feet wide.

Corridors are to meet the egress requirements applicable codes.

Instructional and activity areas shall be accessible by corridors without passing through another instructional or activity area.

Area of vestibules is to be included within area allotted for corridors.

Width of vestibules can be no less than minimum width of adjacent corridor.

Minimum corridor length recommended is 8 feet between doors.

Vestibules are to be provided at major entrances/exits.

## Mechanical Room/Decks

### H-BS-6

#### Features - Fixed Equipment

To be determined by Design Professional

#### Features - Loose Furnishings

N/A

#### Finishes:

Flooring - Sealed concrete

Base - Resilient base


Ceiling - Exposed, painted structure

Walls - Painted concrete masonry units

Optional - Can use metal panel on CMU or metal panel on metal framing wall system for penthouse

#### Notes

1. Electrical - dual-level switching; to be determined by Design Professional
2. Plumbing - to be determined by Design Professional



## Storage Area H-BS-7

### Features - Fixed Equipment

F1 Open metal shelving

### Features - Loose Furnishings

N/A

### Finishes:

Flooring - Sealed concrete


Base - Resilient base

Ceiling - Exposed, painted structure

Walls - Painted concrete masonry units

### Notes

1. Electrical - single-level switching; duplex receptacles



## Central Storage Area H-BS-8

### Features - Fixed Equipment

F1 Open metal shelving

### Features - Loose Furnishings

N/A

### Finishes:

Flooring - Sealed concrete


Base - Resilient base

Ceiling - Exposed, painted structure

Walls - Painted concrete masonry units

### Notes

1. Electrical - single-level switching; duplex receptacles



## Loading/Receiving Area H-BS-9

### Features - Fixed Equipment

F1 Loading dock leveler and dock bumpers

### Features - Loose Furnishings

N/A

### Finishes:

Flooring - Sealed concrete


Base - Resilient base

Ceiling - Exposed, painted structure

Walls - Painted concrete masonry units

### Notes

1. Electrical - single-level switching; duplex receptacles



## Main Cross Connect H-BS-10

### Features - Fixed Equipment

- F1 Open metal shelving
- F2 Tack board
- F3 ~~Chalk/marker~~ Marker board

### Features - Loose Furnishings

- Desk and chair
- Wastebasket

### Finishes:

- Flooring - Resilient
- Base - Resilient base
- Ceiling - Suspended acoustical
- Walls - Painted concrete masonry units

### Notes

1. Electrical - duplex receptacles; single-level switching; telecommunications grounding
2. Technology - data port, voice port & phone; technology equipment; plywood backboard
3. Miscellaneous - Provide distribution equipment with an equipment electrical ground.

